API-First Architecture Transformation at Etsy

Stefanie Schirmer alinse
















Clothing & Accessories Jewelry Craft Supplies & Tools Weddings Entertainment Home & Living Kids & Baby Vintage



What are you shopping for?

Search

From the shop BigStuffed

Recently favorited



Handknitted lace shawl - rainbo... KnittyStories €69.00



Glow in the dark scale mail neck...
Silmarilclothing Sold



Miniature Crystal Terrarium Nec...
JasmineDragonStudio Sold



Raven Tshirt Grey Crow Bird Got...
celticfantasy €22.65



Hedron Geometric Art Print
LuckySkye €13.59



SIERPINSKI Double-Knitting Bab. cooperativepress €7.5


See more >

Our picks for Stefanie





Plague Doctor mask in black lea... TomBanwell €194.78




SOCKY BALACLAVA - Black and ... HeathenClothing €58.89



wooden marionette tights beadborg €43.49



s Black Pixie Hood. Cosplay Hat. L... Metric Raven €43.49 HandiCraftKate €190.25 JungleTribe





Consumers




public web: PHP & JavaScript

administrative apps

infrastructure



mobile apps



... emerging trend in ca. 2013:

API first development



Performance time to device non-concurrent PHP



Ideas we kept

keep it REST (as in v2)

Services

declaration of endpoints in code input validation

New ideas

decouple endpoints from framework

auto-generate routes, clients: PHP, JS

meta-endpoints that consume our API

New ideas

decouple endpoints from framework

auto-generate routes, clients: PHP, JS

meta-endpoints that consume our API











Paul Wright @wrighty



Q

curl_multi_info_read() is my new event loop.

RETWEETS LIKES 3

3

7:54 AM - 17 May 2013

17 3

Paul Wright

@wrighty

© 2016 Twitter About Help Terms Privacy Cookies Ads info

Infrastructure a

Englishman in Brooklyn. Finder of links.

Joined March 2007



NAME

curl_multi_info_read - read multi stack informationals

SYNOPSIS

#include <curl/curl.h>

DESCRIPTION


Ask the multi handle if there are any messages/informationals from the individual transfers. Messages may include informationals such as an error code from the transfer or just the fact that a transfer is completed. More details on these should be written down as well.

```
public static function desc() {
public static function route() {
public static function handle(Api_Client $client, Api_Input $input, Api_Response $response) {
    $proxies = [
        'shop_about' => $client->shop->aboutGet(),
        'faq' => $client->shop->fAQGet(),
        'seller_details' => $client->shop->sellerDetailsGet(),
   ];
    return Curl_Callback_Orchestrator::runAndExtract($proxies, __CLASS__);
```

```
public static function desc() {
public static function route() {
public static function handle(Api_Client $client, Api_Input $input, Api_Response $response) {
        'shop_about' => $client->shop->aboutGet(),
        'faq' => $client->shop->fAQGet(),
        'seller_details' => $client->shop->sellerDetailsGet(),
    return Curl_Callback_Orchestrator::runAndExtract($proxies, __CLASS__);
```

```
public static function desc() {
public static function route() {
public static function handle(Api_Client $client, Api_Input $input, Api_Response $response) {
    $proxies = [
        'shop_about' => $client->shop->aboutGet(),
        'faq' => $client->shop->fAQGet(),
        'seller_details' => $client->shop->sellerDetailsGet(),
   ];
    return Curl_Callback_Orchestrator::runAndExtract($proxies, __CLASS__);
```

How we built it



```
https://www.etsy.com/api/v3/ajax/public/teams
                              /member/
                               /shop/
                              /admin/
                          /infrastructure/
                           /application/
```





Ajax Atlas Internal EtsyApps OpenAPI DataFeeds


















Clothing & Accessories Jewelry Craft Supplies & Tools Weddings Entertainment Home & Living Kids & Baby Vintage



What are you shopping for?

Search

From the shop BigStuffed

Recently favorited



Handknitted lace shawl - rainbo... KnittyStories €69.00



Glow in the dark scale mail neck...
Silmarilclothing Sold



Miniature Crystal Terrarium Nec...
JasmineDragonStudio Sold



Raven Tshirt Grey Crow Bird Got...
celticfantasy €22.65



Hedron Geometric Art Print
LuckySkye €13.59



SIERPINSKI Double-Knitting Bab. cooperativepress €7.5


See more >

Our picks for Stefanie





Plague Doctor mask in black lea... TomBanwell €194.78




SOCKY BALACLAVA - Black and ... HeathenClothing €58.89



wooden marionette tights beadborg €43.49



s Black Pixie Hood. Cosplay Hat. L... Metric Raven €43.49 HandiCraftKate €190.25 JungleTribe





Whoever you are, find whatever you're into





Recently favorited











Our picks for Stefanie













New from your favorite shops













Updates from shops you like




















From people you follow















































bespoke



favorites favorite shops concurrent friends activity from blog

DESDORE,

listing card
listing card
listing card
shop card
shop card

• •

story card story card

featured shop

bespoke_{ge} concurrent

favorites

friends activity

from blog

listing card listing card listing card shop card component

story card

story card

featured shop

listing card favorites listing card listing card favorite shops shop card component concurrent story card friends activity story card featured shop from blog

Despose de la constant de la constan

DSL of Etsy endpoints lezvk dziedzinowy

route()

desc()

resultType()


handle(\$client, \$input, \$response)


optional declareInput(\$input)

includedServices()

cacheTtlSeconds()









Operations: Architecture implications













PHP 5 / Zend


Average Response Time 12 Hour



HHVM


Average Response Time 12 Hour





Where wouldn't this work?

Operations:



CrossStitch - Waterfall

Legend

HTTP (17, 566.39ms)

Memcached (216, 36.53ms)

DB Query (38, 35.38ms)

Thrift Query


Gearman Job


Redis


Arizona

Download PNG | View Trace In Zipkin









DataFindr Q Lookup endpoint... Stefanie Schirmer -**API Handbook**

ENDPOINTS > Public > Member

Public / Teams / List

Public

List of active teams.

GET /api/v3/ajax/public/teams

Arguments

default required type name

String keyword

BespokeAjax BespokeAtlas

> Infrastructure

> BespokeCraftAjax

RESOURCES

> Shop

> Application

AppUser

> Admin

➤ BespokeOpenApi

BespokeEtsyApps

> Public

> Member

> Shop

> ServerDrivenLayout

> Admin

> Search

Staff

Infrastructure

Resource

Returns resource: Public / Team

Quantity: one

type name

ID group_id

String name

String group_type

String status

String avatar_url

short_description String

long_description String

is_juried Boolean

is_private Boolean Example Request

GET request parameters:

keyword:

Locale:

curl /api/v3/ajax/public/teams

"is_private": false,

"active_member_count": 9,

"is_closed": false,

Country: United States

Example Response

```
"group_id": 29885,
"name": "paranormal experiences",
"group_type": "NORMAL",
"status": "ACTIVE",
"create_date": 1465830325,
"avatar_url": "https://img0.etsystatic.com/123/0/29885/iga_170x100.4080
"membership_count": 9,
"active_thread_count": 2,
"last_post_date_formatted": "6 hours ago",
"last_poster_real_or_login_name": "amanda wood",
"is_juried": false,
```

"new_thread_url": "/teams/29885/paranormal-experiences/discuss/new/",

"short_description": "paranormal experiences\r\n what paranormal experiences\r\n

"long_description": "paranormal experiences\r\n\r\nwhat paranormal expe

"url": "/teams/29885/paranormal-experiences",

Language: English

Currency: USD V




Developer adoption

How did we "sell" it?



White space

gets filled with code





kgessner: unsample API type errors and make them more prominent to enforce guarantees.

sbirksted: wants contract between set of items an endpoint will return, set of items that the app knows how to format.

jdonato: code organization: compiler in same space as endpoints ರ_ಠ

stan: we can compose endpoints, but for composable views we still have to repeat things.

Can we lift composability into the view?

cconstable: can we mock a typed resource? Can we automatically traverse it?





Versioning? Caching?

3rd party?

CONCIUSION

What did we learn?

What did we learn?

Did we Succeed?

"We desperately need to figure out a scheme for allowing concurrency or else we're going to have performance problems forever."

- Andrew Morrison (Etsy)

"We desperately need to figure out a scheme for allowing concurrency or else we're going to have performance problems forever."

- Andrew Mrison (Etsy)

Where we are NOW:

Responsibility division between device and Server

Thank you < 3

I'm Stefanie Schirmer

alinse